PRECISION AT ITS BEST





INNOVATIVE ACCURATE RELIABLE



About Marshall Enterprises Defense

Marshall Defense is a military and sporting good equipment supplier that delivers solutions that meet your requirements. Meeting your needs and providing top quality service is our mission in delivering to our clients. From the most popular calibers of ammunition, firearms, defense apparel and supplies Marshall Defense stands with you. Whether you have supply channels or need it, Marshall has the ability to move your product and business forward.

Product and services


Supplying your pursuit and first line of defense, Marshall has you covered with the best ammunition and firearms options in every category. Marshall offers various procurement channels to simplify the procurement process.













TM 545 - CQR - XS



The TM 545 CQR - XS is a 5.56x45mm direct impinged gas operated rifle. Both the upper and lower receiver are from precision forged 7075-T6 Aluminium, with the upper receiver benefiting from an extended M4 feed ramp. The 9" cold forged rifled barrel is made from high alloy Chrome Molybdenum steel with a final Nitride Treatment for strength and endurance. Furniture include the Hera CQR Stock and fore-end.

DESCRIPTION	SPECIFICATION
Calibre and System	5.56x45mm - Direct Impinged
Barrel Length	9" Cold Forged High Alloy Chrome Molybdenum Steel Barrel - Nitride Treated
Twist Rate	Choice of 1 turn in 7 or 1 turn in 9 inches Twist
Upper Receiver	Model - Truvelo precision forged receiver from 7075-T6 with extended M4 feed ramp
Lower Receiver	Model - Truvelo precision forged receiver from 7075-T6
Weight	3.6kg (Empty Magazine Included)
Magazine Capacity	30 Rounds
Handguard	Truvelo Key-Mod Free-Float Rail
Furniture	Stock - Hera, Grip - Hera Pistol Grip
Threaded for Muzzle Brake or Sound Moderator	Yes
Muzzle Brake Included	Yes
Sling Attachment Points	Yes
Supplied with hard waterproof transit case	Optional
Supplied soft back pack	Optional



TM 545 - CQR - 9"



The TM 545 CQR is a 5.56x45mm direct impinged gas operated rifle. Both the upper and lower receiver are made from precision forged 7075-T6 Aluminium, with the upper receiver benefiting from an extended M4 feed ramp. The 9" cold forged rifled barrel is made from high alloy Chrome Molybdenum steel with a final Nitride Treatment for strength and endurance.

DESCRIPTION	SPECIFICATION
Calibre and System	5.56x45mm - Direct Impinged
Barrel Length	9" Cold Forged High Alloy Chrome Molybdenum Steel Barrel - Nitride Treated
Twist Rate	Choice of 1 turn in 7 or 1 turn in 9 inches Twist
Upper Receiver	Model - Truvelo precision forged receiver from 7075-T6 with extended M4 feed ramp
Lower Receiver	Model - Truvelo precision forged receiver from 7075-T6
Weight	3.45kg (Empty Magazine Included)
Magazine Capacity	30 Rounds
Handguard	Truvelo Key-Mod Free-Float Rail
Furniture	Stock - Truvelo XS, Grip - Truvelo A2 Pistol Grip
Threaded for Muzzle Brake or Sound Moderator	Yes
Muzzle Brake Included	Yes
Sling Attachment Points	Yes
Supplied with hard waterproof transit case	Optional
Supplied soft back pack	Optional



TM 545 - CQR - 10"



The TM 545 CQR is a 5.56x45mm direct impinged gas operated rifle. Both the upper and lower receiver are from precision forged 7075-T6 Aluminium, with the upper receiver benefiting from an extended M4 feed ramp. The 10" cold forged rifled barrel is made from high alloy Chrome Molybdenum steel with a final Nitride Treatment for strength and endurance.

DESCRIPTION	SPECIFICATION
Calibre and System	5.56x45mm - Direct Impinged
Barrel Length	10" Cold Forged High Alloy Chrome Molybdenum Steel Barrel - Nitride Treated
Twist Rate	Choice of 1 turn in 7 or 1 turn in 9 inches Twist
Upper Receiver	Model - Truvelo precision forged receiver from 7075-T6 with extended M4 feed ramp
Lower Receiver	Model - Truvelo precision forged receiver from 7075-T6
Weight	3.5kg (Empty Magazine Included)
Magazine Capacity	30 Rounds
Handguard	Truvelo Key-Mod Free-Float Rail
Furniture	Stock - Magpul, Grip - Magpul Pistol Grip
Threaded for Muzzle Brake or Sound Moderator	Yes
Muzzle Brake Included	Yes
Sling Attachment Points	Yes
Supplied with hard waterproof transit case	Optional
Supplied soft back pack	Optional



TM 545 - Commando



The TM 545 Commando is a 5.56x45mm direct impinged gas operated rifle. Both the upper and lower receiver are from precision forged 7075-T6 Aluminium, with the upper receiver benefiting from an extended M4 feed ramp. The 12" cold forged rifled barrel is made from high alloy Chrome Molybdenum steel with a final Nitride Treatment for strength and endurance. Variety of furniture options available.

DESCRIPTION	SPECIFICATION
Calibre and System	5.56x45mm - Direct Impinged
Barrel Length	12" Cold Forged High Alloy Chrome Molybdenum Steel Barrel - Nitride Treated
Twist Rate	Choice of 1 turn in 7 or 1 turn in 9 inches Twist
Upper Receiver	Model - Truvelo precision forged receiver from 7075-T6 with extended M4 feed ramp
Lower Receiver	Model - Truvelo precision forged receiver from 7075-T6
Weight	3.9kg (Empty Magazine Included)
Magazine Capacity	30 Rounds
Handguard	Truvelo Key-Mod Drop-In Rail with A-Frame front sight and steel rear sight
Furniture	Stock - Truvelo XR, Grip - Truvelo A2 Pistol Grip
Threaded for Muzzle Brake or Sound Moderator	Yes
Muzzle Brake Included	Yes
Sling Attachment Points	Yes
Supplied with hard waterproof transit case	Optional
Supplied soft back pack	Optional



TM 545 - Carbine



The TM 545 Carbine is a 5.56x45mm direct impinged gas operated rifle. Both the upper and lower receiver are from precision forged 7075-T6 Aluminium, with the upper receiver benefiting from an extended M4 feed ramp. The 14.5" cold forged rifled barrel is made from high alloy Chrome Molybdenum steel with a final Nitride Treatment for strength and endurance. Variety of furniture options available.

	DESCRIPTION	SPECIFICATION
	Calibre and System	5.56x45mm - Direct Impinged
	Barrel Length	14.5" Cold Forged High Alloy Chrome Molybdenum Steel Barrel - Nitride Treated
	Twist Rate	Choice of 1 turn in 7 or 1 turn in 9 inches Twist
)	Upper Receiver	Model - Truvelo precision forged receiver from 7075-T6 with extended M4 feed ramp
	Lower Receiver	Model - Truvelo precision forged receiver from 7075-T6
	Weight	3.8kg (Empty Magazine Included)
	Magazine Capacity	30 Rounds
	Handguard	Choice of the Truvelo Key-Mod Free Float Rail or Key-Mod Drop-In Rail with A-Post Front Sight
	Furniture	Stock - Truvelo XR, Grip - Truvelo A2 Pistol Grip
	Threaded for Muzzle Brake or Sound Moderator	Yes
	Muzzle Brake Included	Yes
	Sling Attachment Points	Yes
	Supplied with hard waterproof transit case	Optional
	Supplied soft back pack	Optional



TM 545 - DMR



The TM 545 DMR is a 5.56x45mm direct impinged gas operated Precision rifle. Both the upper and lower receiver are from precision forged 7075-T6 Aluminium, with the upper receiver benefiting from an extended M4 feed ramp. The 16" cold forged rifled barrel is made from high alloy Chrome Molybdenum steel with a final Nitride Treatment for strength and endurance. The Truvelo TM 545 DMR comes standard with the Magpul PRS Gen 3 Stock.

DESCRIPTION	SPECIFICATION
Calibre and System	5.56x45mm - Direct Impinged
Barrel Length	16" Cold Forged High Alloy Chrome Molybdenum Steel Barrel - Nitride Treated
Twist Rate	Choice of 1 turn in 7 or 1 turn in 9 inches Twist
Upper Receiver	Model - Truvelo precision forged receiver from 7075-T6 with extended M4 feed ramp
Lower Receiver	Model - Truvelo precision forged receiver from 7075-T6
Weight	4.1kg (Empty Magazine Included)
Magazine Capacity	30 Rounds
Handguard	Truvelo Key-Mod Free-Float rail - come standard with bi-pod rails
Furniture	Stock - Magpul PRS Gen 2, Grip - Magpul RPA Pistol Grip
Threaded for Muzzle Brake or Sound Moderator	Yes
Muzzle Brake Included	Yes
Sling Attachment Points	Yes
Supplied with hard waterproof transit case	Optional
Supplied soft back pack	Optional



TM 545P-SF



The Truvelo TM 545P-SF is a 5.56x45mm adjustable piston operated rifle. Both the upper and lower receiver are made from precision forged 7075-T6 Aluminium, with the upper receiver benefiting from an extended M4 feed ramp. The 12" cold forged rifled barrel is made from high alloy Chrome Molybdenum steel with a final Nitride Treatment for strength and endurance.

DESCRIPTION	SPECIFICATION
Calibre and System	5.56x45mm - Adjustable Piston
Barrel Length	12" Cold Forged High Alloy Chrome Molybdenum Steel Barrel - Nitride Treated
Twist Rate	1 Turn in 7 inches
Upper Receiver	Model - Truvelo precision forged receiver from 7075-T6 with extended M4 feed ramp
Lower Receiver	Model - Truvelo precision forged receiver from 7075-T6
Weight	3.49kg (Empty Magazine Included)
Magazine Capacity	30 Rounds
Handguard	Key-Mod Truvelo Free-Float rail
Furniture	Stock - Truvelo XS, Grip - Truvelo A2 Pistol Grip
Threaded for Muzzle Brake or Sound Moderator	Yes
Muzzle Brake Included	Yes
Sling Attachment Points	Yes
Supplied with hard waterproof transit case	Optional
Supplied soft back pack	Optional



TM 300 BLK - Special Operations



The TM-300 BLK is a 7.62x35mm direct impinged gas operated rifle. Both the upper and lower receiver are made from precision forged 7075-T6 Aluminium, with the upper receiver benefiting from an extended M4 feed ramp. The 12" cold forged rifled barrel is made from high alloy Chrome Molybdenum steel with a final Nitride Treatment for strength and endurance.

DESCRIPTION	SPECIFICATION
Calibre and System	7.62x35mm - (300BLK) Direct Impingement
Barrel Length	12" Cold Forged High Alloy Chrome Molybdenum Steel Barrel - Nitride Treated
Twist Rate	1 Turn in 8 inches
Upper Receiver	Model - Truvelo precision forged receiver from 7075-T6 with extended feed ramps
Lower Receiver	Model - Truvelo precision forged receiver from 7075-T6
Weight	3.49kg (Empty Magazine Included)
Magazine Capacity	30 Rounds
Handguard	Key-Mod Truvelo Free-Float rail
Furniture	Stock - Truvelo XR, Grip - Truvelo A2 Pistol Grip
Threaded for Muzzle Brake or Sound Moderator	Yes
Muzzle Brake Included	Yes
Sling Attachment Points	Yes
Supplied with hard waterproof transit case	Optional
Supplied soft back pack	Optional



TM 739 - Special Operations



The Truvelo TM 739 Special Operations is a 7,62x39mm direct impinged gas operated rifle. Both the upper and lower receiver are made from precision forged 7075-T6 Aluminium, with the upper receiver benefiting from an extended M4 feed ramp. The 12" cold forged rifled barrel is made from high alloy Chrome Molybdenum steel with a final Nitride Treatment for strength and endurance.

DESCRIPTION	SPECIFICATION
Calibre and System	7,62x39mm Direct Impinged
Barrel Length	12" Cold Forged High Alloy Chrome Molybdenum Steel Barrel
Twist Rate	1 Turn in 10 inches
Upper Receiver	Model - Truvelo precision forged receiver from 7075-T6 with extended feed ramps
Lower Receiver	Model - Truvelo precision forged receiver from 7075-T6
Weight	3.49kg (Empty Magazine Included)
Magazine Capacity	30 Rounds
Handguard	Choice of the Truvelo Key-Mod Free-Float Rail or Key-Mod Drop-In Rail with A-Post front sight
Furniture	Stock - Truvelo XS, Grip - Truvelo A2 Pistol Grip
Threaded for Muzzle Brake or Sound Moderator	Yes
Muzzle Brake Included	Yes
Sling Attachment Points	Yes
Supplied with hard waterproof transit case	Optional
Supplied soft back pack	Optional











CMS 6,5x47 Lapua



The 6,5x47 Lapua Rifle is a specialised target rifle for long range hunting and sport shooting applications. Superior ballistics and light recoil makes the 6.5x47 Lapua a winning recipe. Design features include a foldable stock, fully adjustable recoil assembly, adjustable grip, stanag picatinny rails and removable bipod.

DESCRIPTION	SPECIFICATION
Model	CMS 6,5x47 Lapua
Bipod	Yes
Calibre	6,5x47 Lapua
Action Type	Bolt Action
Magazine Capacity	10
Barrel Length	660mm
Overall Length	Unfolded: 1180mm Folded: 920mm
Height	200mm
Width	60mm
Number of Rifling	6, 1:8
Locking	4 Lugs
Weight	6kg [Including Magazine]
Ammunition	FMJBT, HPBT, SPBT
Accuracy	1 M.O.A at 500m [Ammunition Dependant]
Effective Range	1200m [Ammunition Dependant]
Temperature Range	-32°C / +55°C
Stock	Fully Adjustable, Right Folding
Adjustable Cheeck Piece	Standard



CMS 7,62x51mm



The 7,62x51 NATO Rifle is a specialised precision rifle of outstanding quality and accuracy. This rifle is capable of functioning in all operational environments due to its robust yet simple design. Design features include a foldable stock, fully adjustable recoil assembly, adjustable grip, stanag picatinny rails and removable bipod. In addition to this, various fore-end lengths are available.

DESCRIPTION	SPECIFICATION
Model	CMS 7,62x51mm
Bipod	Yes
Calibre	7,62x51 NATO
Action Type	Bolt Action
Magazine Capacity	10
Barrel Length	660mm
Overall Length	Unfolded: 1170mm Folded: 920mm
Height	200mm
Width	50mm
Number of Rifling	4, 1:12
Locking	4 Lugs
Weight	6kg [Including Magazine]
Ammunition	FMJ, Ball, AP, Tracer, Sub-Sonic
Accuracy	1 M.O.A at 500m [Ammunition Dependant]
Effective Range	1000m [Ammunition Dependant]
Temperature Range	-32°C / +55°C
Stock	Fully Adjustable, Right Folding
Adjustable Cheeck Piece	Standard



CMS.338 Lapua



The CMS .338 Lapua is designed as a precision rifle for long range targeting. Together with the Truvelo proven barrel and action design, the combination of calibre and the ammunition used, results in accurate shooting up to 1800m. Design features include a foldable stock, fully adjustable recoil assembly, adjustable grip, stanag picatinny rails and removable bipod. In addition to this, various fore-end lengths are available.

DESCRIPTION	SPECIFICATION
Model	CMS .338 Lapua
Bipod	Yes
Calibre	.338 Lapua
Action Type	Bolt Action
Magazine Capacity	5
Barrel Length	660mm
Overall Length	Unfolded: 1200mm Folded: 960mm
Height	200mm
Width	50mm
Number of Rifling	6, 1:10
Locking	4 Lugs
Weight	6kg [Including Magazine]
Ammunition	FMJ, Ball, AP
Accuracy	1 M.O.A at 500m [Ammunition Dependant]
Effective Range	1800m [Ammunition Dependant]
Temperature Range	-32°C / +55°C
Stock	Fully Adjustable, Right Folding
Adjustable Cheeck Piece	Standard



CMS 12,7x99mm



Design to the highest standards and with unsurpassed engineering, the CMS 12,7x99mm is a specialised rifle of outstanding quality and accuracy. Design features include a foldable stock, fully adjustable recoil assembly, adjustable grip, stanag picatinny rails and removable bipod. In addition to this, various fore-end lengths are available.

DESCRIPTION	SPECIFICATION
Model	CMS 12,7x99mm
Bipod	Yes
Calibre	12,7x99mm NATO
Action Type	Bolt Action
Magazine Capacity	5
Barrel Length	730mm
Overall Length	Unfolded: 1455mm Folded: 1180mm
Height	225mm
Width	75mm
Number of Rifling	8, 1:15
Locking	4 Lugs
Weight	13kg [Including Magazine]
Ammunition	FMJ, Ball, AP, Tracer, API
Accuracy	1 M.O.A at 500m [Ammunition Dependant]
Effective Range	1200m [Ammunition Dependant]
Temperature Range	-32°C / +55°C
Stock	Fully Adjustable, Right Folding
Adjustable Cheeck Piece	Standard











CMS 14,5x114mm



The science of modern weaponry has brought to light highly sophisticated electronic guidance and communications equipment, GPS, night vision and radar systems found on light to medium skinned vehicle. These targets will be neutralised by the modern sniper equipped with this heavy calibre weapon, due to the enormous ammunition payload delivery.

Intensive research has made this multi chambered muzzle brake for large calibres so efficient that it reduces the recoil by up to 60%. This feature makes even this calibre easy to shoot in the prone position. Design features include a fully adjustable recoil assembly, adjustable grip, adjustable cheek piece, stanag picatinny rails and removable bipod.

DESCRIPTION	SPECIFICATION
Model	CMS 14,5x114mm
Tripod	Standard .50BMG / .30LMG Mount (MZ)
Calibre	14,5x114mm
Action Type	Bolt Action
Magazine Capacity	Single Shot
Barrel Length	940mm
Overall Length	Unfolded: 1820mm Folded: 1495mm
Height	230mm
Width	80mm
Number of Rifling	8, 1:22
Locking	4 Lugs
Weight	29kg excl. tripod 39kg incl. tripod
Cradle Mount	10kg
Ammunition	Practice, PracT, API, HE, HEI, SAPHEI
Accuracy	2 M.O.A @ 500m [Ammunition Dependant]
Effective Range	1800m [Ammunition Dependant]
Temperature Range	-32°C / +60°C
Stock	Fully Adjustable, Right Folding
Adjustable Cheeck Piece	Standard



CMS 20x42B



The 20x42B CMS was designed from inception to be a lightweight, easily transportable anti-material rifle. A flat trajectory ensures target engagement not easily achievable with a LV/MV 40mm grenade launcher. The compact size of the weapon system makes it ideal for parachute deployments into hostile territories, yet capable of eliminating hard targets such as communication towers, missile emplacements, as well as armoured vehicles. The 20x42mm ammunition, although being sub-sonic, has an effective range of 1000m. It is capable of delivering a devastating payload due to the variety of ammunition available, from PRAC rounds all the way to the highly specialised SAPHEI version.

DESCRIPTION	SPECIFICATION
Model	CMS 20x42B
Bipod	Yes
Calibre	20x42B
Action Type	Bolt Action
Magazine Capacity	5
Barrel Length	390mm
Overall Length	Unfolded: 980mm Folded: 700mm
Height	225mm
Width	70mm
Number of Rifling	8, 1:22
Locking	4 Lugs
Weight	10kg [Including Magazine]
Ammunition	PRAC, PracT, API, HE, SAPHEI
Accuracy	Better than 2 M.O.A at 500m [Ammunition Dependant]
Effective Range	1000m [Ammunition Dependant
Temperature Range	-32°C / +55°C
Stock	Fully Adjustable, Right Folding
Adjustable Cheeck Piece	Standard



CMS 20x82mm



The science of modern weaponry has brought to light highly sophisticated electronic guidance and communications equipment, GPS, night vision and radar systems found on light to medium skinned vehicle. These targets will be neutralised by the modern sniper equipped with this heavy calibre weapon, due to the enormous ammunition payload delivery.

Intensive research has made this multi chambered muzzle brake for large calibres so efficient that it reduces the recoil by up to 60%. This feature makes even this calibre easy to shoot in the prone position. Design features include a fully adjustable recoil assembly, adjustable grip, adjustable cheek piece, stanag picatinny rails and removable bipod.

DESCRIPTION	SPECIFICATION
Model	CMS 20x82mm
Bipod	Yes
Calibre	20x82mm
Action Type	Bolt Action
Magazine Capacity	5
Barrel Length	1000mm
Overall Length	Unfolded: 1860mm Folded: 1593mm
Height	280mm
Width	85mm
Number of Rifling	8, 1:22
Locking	4 Lugs
Weight	25,5kg [Including Magazine]
Ammunition	Practice, PracT, API, HE, HEI, SAPHEI
Accuracy	1 M.O.A at 500m [Ammunition Dependant]
Effective Range	1500m [Ammunition Dependant]
Temperature Range	-32°C / +55°C
Stock	Fully Adjustable, Right Folding
Adjustable Cheeck Piece	Standard



CMS 20x110mm



Truvelo has recently added the 20x110 Anti Material Sniper Rifle to its range of small arms. Due to the large calibre, this rifle is absolutely unique and Truvelo is one of the few weapon manufacturers in the world to design and produce a sniper in this calibre. The rifle tripod mount has built in recoil dampers to help reduce the rifle's recoil. Due to this the sniper will be able to shoot even this large calibre rifle with ease.

Electronic guidance and communications equipment and GPS and radar systems, which are found on modern tanks and medium to heavy skinned vehicles, can be eliminated with this specialised rifle. Design features include a fully adjustable recoil assembly, adjustable grip, adjustable cheek piece, stanag picatinny rails and adjustable tripod.

DESCRIPTION	SPECIFICATION
Model	CMS 20x110mm
Tripod	Standard .50BMG / .30LMG Mount (MZ)
Calibre	20x110mm Hispano
Action Type	Bolt Action
Magazine Capacity	Single Shot
Barrel Length	940mm
Overall Length	Unfolded: 1820mm Folded: 1495mm
Height	230mm
Width	80mm
Number of Rifling	8, 1:22
Locking	4 Lugs
Weight	29kg excl. tripod 39kg incl. tripod
Cradle Mount	10kg
Ammunition	Practice, PracT, API, HE, HEI, SAPHEI
Accuracy	2 M.O.A at 500m [Ammunition Dependant]
Effective Range	1800m [Ammunition Dependant]
Temperature Range	-32°C / +60°C
Stock	Fully Adjustable, Right Folding
Adjustable Cheeck Piece	Standard









+90 (216) 755 34 96 | info@patriamsavunma.com | www.patriamsavunma.com Tatlısu Mah. Terim Sk. Nezih Towers Sit. A Blok Apt No.1/A D.6 Ümraniye İstanbul Türkiye